Contents

Chapter 1: IDENTIFYING TRUE REQUIREMENTS	3
1.1 Distinguishing between true and false requirements 1.2 The danger of false requirements 1.3 Defining requirements with structured analysis 1.4 Distinguishing between logical and physical 1.5 The scope of this book 1.6 Summary	3 4 5 5 8 9
Chapter 2: PLANNED SYSTEMS	10
2.1 Interactive systems 2.2 Planned response systems 2.3 Summary	10 12 14
Chapter 3: THE ESSENCE OF A SYSTEM: LOGICAL REQUIREMENTS	16
3.1 The concept of perfect technology 3.2 The components of a system's essence 3.2.1 Fundamental activities 3.2.2 Essential memory 3.2.3 Custodial activities 3.2.4 Compound essential activities 3.3 Summary	16 17 17 18 20 21
Chapter 4: THE INCARNATION OF A SYSTEM: PHYSICAL CHARACTERISTICS	23
 4.1 The incarnation of essential features 4.2 The planned response system within the implementation 4.3 The impact of imperfect technology 4.3.1 Fragmentation 4.3.2 Redundancy 	25 25 29 29 30
4.3.3 Extraneousness	30
4.3.4 Convolution 4.3.5 Conglomeration 4.3.6 Vastness	32 32 32
4.4 Summary	- 33
Chapter 5: THE ESSENCE OF SYSTEM DEVELOPMENT	34
5.1 Imperfect system development technology	35
5.1.1 Imperfect system development processors	35 36
5.1.2 Multiple system development processors 5.1.3 Planning and control activities	36
5.1.4 Quality control activities	37
5.2 Essential system development activities	38
5.3 Summary	38

		20
	Chapter 6: SYSTEM MODELING	39
	6.1 The benefits of modeling	40
	6.2 The choice of a modeling approach	40
	6.3 The principles of essential modeling	42
	6.3.1 The budget for complexity	42
	6.3.2 Technological neutrality	43
	6.3.3 Perfect internal technology	44
	6.3.4 The minimal essential model	45
	6.3.5 The benefits of the modeling principles	46
	6.4 Summary	46
	Part Two: ESSENTIAL MODELING TOOLS AND STRATEGIES	47
	Chapter 7: PARTITIONING THEMES FOR ESSENTIAL MODELS	49
	7.1 Partitioning the system into essential activities	49
	7.1.1 Recognizing events	49
	7.1.2 The event-partitioned system	51
		56
٦,	7.1.3 The advantages of event partitioning	57
	7.2 Partitioning essential memory	57
	7.2.1 Objects	59
	7.2.2 Object partitioning	
	7.3 Problems with other partitioning themes	61
	7.3.1 The single data store partitioning solution	61
	7.3.2 The data store for each element partitioning solution	61
	7.3.3 The private component file partitioning solution	64
	7.3.4 The benefits of object partitioning	66
	7.4 Leveling	66
	7.5 Summary	68
-	Chapter 8: MODELING ESSENTIAL ACTIVITIES	69
	8.1 Modeling the stimulus	69
	8.1.1 A stimulus from an external event	69
	8.1.2 A stimulus from a temporal event	71
	8.2 Modeling the planned response	73
	8.2.1 Controlling the complexity of minispecifications	74
	8.2.2 Avoiding false requirements	74
	8.2.3 Redefining structured English	75
	8.2.4 Using a nonsequential modeling tool	75
	8.3 Modeling planned response results	76
	8.3.1 Modeling external results	77
	8.3.2 Modeling essential memory updates	78
	8.4 Modeling essential memory accesses	78
	8.4.1 Defining an essential memory access	79
	8.4.2 Modeling essential memory accesses in minispecifications	80
	8.4.3 Modeling essential memory accesses on the DFD	80
	8.4.4 Modeling accesses with the data dictionary	81
	8.5 Summary	84
•	Chapter 9: MODELING ESSENTIAL MEMORY	85
	9.1 Modeling data elements	85
9	9.2 Modeling objects	86
	9.2.1 Modeling large objects	87
	9.2.2 Intra-object relationships	92
9	9.3 Modeling interobject relationships	93
	9.3.1 Data structure diagrams	94
	9.3.2 Entity-relationship diagrams	95
	9.3.3 Minispecifications	96

9.4 Choosing the right approach	96
9.4.1 Interobject relationship modeling vs. essential access modeling	97
9.4.2 Global models vs. local models 9.4.3 Specialized models vs. general models	97 98
9.4.4 Requirement models vs. semantic models	98
9.4.5 Graphic models vs. narrative models	98
9.5 The need for a better convention	99
9.6 Summary	100
Character 10, order record non Model the model of a suggest	194
Chapter 10: STRATEGIES FOR MODELING THE ESSENCE OF A SYSTEM	101
10.1 Creating the new essence	102
10.1.1 First decision: identifying the system's purpose	102
10.1.2 Second decision: identifying fundamental activities 10.1.3 Third decision: identifying required information	103 104
10.1.4 Fourth decision: identifying custodial activities	104
10.2 Modeling the new essence	103
10.3 Deriving the new essence	108
10.3.1 Why derive the essence?	108
10.3.2 Why model the current incarnation?	109
10.4 Choosing a modeling strategy	112
10.4.1 Factors in choosing a modeling strategy	112
10.4.2 The reasons for our choice of strategy	115
10.5 Summary	115
Part Three: THE ANATOMY OF EXISTING SYSTEMS	117
Chapter 11: THE ANATOMY OF SINGLE PROCESSOR SYSTEMS	119
11.1 Processors	119
11.2 Single processor/single essential activity systems	121
11.2.1 Essential activities	123
11.2.2 Internal quality control activities	124
11.2.3 Internal transportation activities	124
11.3 Optimizing processor performance	125
11.4 Single processor/multiple essential activity systems	127
11.5 Summary	127
Chapter 12: THE ANATOMY OF MULTIPLE PROCESSOR SYSTEMS	128
12.1 The fragmentation of essential activities among processors	128
12.1.1 Fragmentation according to processor skill and cost	129
12.1.2 Fragmentation according to processor capacity and cost	131
12.2 The interprocessor infrastructure	133
12.2.1 Sharing stored data	133
12.2.2 Communicating intermediate products	145 148
12.3 The interprocessor administration	150
12.4 Summary	5/96
Chapter 13: THE CONSOLIDATION OF SYSTEM ACTIVITIES	151
13.1 Consolidation of essential activity fragments	151
13.2 Consolidation of nonessential system activities	152
13.2.1 Consolidation of the infrastructure	154
13.2.2 Consolidation of data stores	157
13.2.3 Consolidation of administrative activities	158
13.2.4 Consolidation of activities in a multiple processor system	160 160
13.3 Nested processors 13.4 Superprocessor incarnations	
13.4 Supprocessor incarnations	167

xiv CONTENTS

Chapter 14: DISCOVERING THE ESSENTIAL SYSTEM THROUGH SYSTEM ARCHAEOLOGY	168
14.1 The discovery strategy	169
14.2 Finding and classifying the essential activity fragments	171
14.3 Modeling an essential activity	171
14.4 Integrating the essential activity models	171
14.5 Summary	172
Part Four: FINDING THE ESSENTIAL ACTIVITIES	173
Chapter 15: EXPANDING THE CURRENT PHYSICAL MODEL	175
15.1 Expanding the data flow diagrams	177
15.2 Expanding the data dictionary	181
15.3 Expanding the minispecifications	184
15.4 Feedback effects	186
15.5 A tranquilizer for expandophobes	187
15.6 Summary	187
Chapter 16: REDUCING THE EXPANDED PHYSICAL MODEL	188
16.1 Removing the interprocessor infrastructure	188
16.2 Removing the administration	197
16.3 Reconnecting the essential fragments	199
16.4 The results of the reduction process	201
16.5 Summary	201
Chapter 17: CLASSIFYING THE ESSENTIAL FRAGMENTS	202
17.1 Event partitioning revisited	204
17.2 Identifying external events	205
17.2.1 Naming external events	208
17.3 Identifying essential fragments for each external event	209
17.3.1 Identifying the system's complete response	215
17.4 Identifying temporal events	221
17.4.1 Naming temporal events	223
17.5 Identifying essential fragments for each temporal event	224
17.6 Building the initial essential model	226
17.7 Summary	229
Part Five: DEFINING AN ESSENTIAL ACTIVITY	231
Chapter 18: COMPLETING THE DERIVATION PROCESS: AN OVERVIEW	233
18.1 Partitioning the remaining work	233
18.1.1 The two-pass approach	234
18.2 The difference between creating and deriving	237
18.3 Summary	237
Chapter 19: RECOGNIZING REMAINING PHYSICAL CHARACTERISTICS	238
19.1 Physical characteristics of essential activity fragments	238
19.1.1 Fragmentation	238
19.1.2 Extraneousness	240
19.1.3 Redundancy	241
19.1.4 Convolution	241
19.1.5 Nonessential sequence	244
19.2 Physical characteristics of essential memory fragments	251
19.2.1 Fragmentation	252
19.2.2 Extraneousness	253
19.2.3 Redundancy and convolution	253
19.3 Physical names	254
19.4 Summary	254

Chapter 20: DERIVING AN ESSENTIAL ACTIVITY	255
20.1 Response-based derivation	255
20.2 Selecting an essential activity	257
20.3 Uncovering the core of the essential activity	257
20.4 Removing extraneous physical features	260
20.5 Consolidating the remaining fragments	265
20.6 Partitioning the essential memory	266
20.6.1 Identifying objects	267
20.6.2 Attributing data elements to object data stores 20.6.3 Resolving attribution anomalies	269
20.0.3 Resolving autobation anomatics 20.7 Minimizing the essential accesses	270 270
20.8 Establishing the essential order among the activities	276
20.9 Establishing the physical ring	276
20.10 Summary	278
Chapter 21: MODELING AN ESSENTIAL ACTIVITY	279
21.1 Creating the high-level essential activity model	280
21.2 Modeling the details of a small essential activity	281
21.3 Modeling the details of a large essential activity	283
21.4 Modeling interobject relationships	287
21.5 Summary	287
Part Six: INTEGRATING THE ESSENTIAL ACTIVITY MODELS	289
Chapter 22: INTEGRATING THE ESSENTIAL ACTIVITIES	291
22.1 Cross-checking essential accesses	291
22.2 Resolving missing custodial activities	293
22.3 Removing unnecessary custodial activities	295
22.4 Summary	298
Chapter 23: BUILDING A GLOBAL ESSENTIAL MODEL	299
23.1 Consolidating object data stores	300
23.2 Drawing a global data flow diagram	304
23.3 Remodeling derived essential memory	304
23.4 Factoring out common functions	307
23.5 The completely essential model	309
Chapter 24: REVIEWING THE QUALITY OF THE MODEL	310
24.1 Repartitioning data stores	311
24.2 Creating subminispecs	312
24.3 Building upper levels of data flow diagrams	314
24.4 Summary	317
Part Seven: MODELING THE NEW SYSTEM	319
Chapter 25: ADDING NEW ESSENTIAL FEATURES	321
25.1 Building mini-models	322
25.2 Defining new essential features	323
25.2.1 When the users or analysis understand essential systems analysis	323
25.2.2 When the users or analysts don't know essential systems analysis	325
25.2.3 Integrating new essential requirements	325 327
25.3 Understanding the psychology of new essential requirements 25.4 Summary	327
	329
Chapter 26: SELECTING AN INCARNATION	329
26.1 An incarnation's general goals 26.2 Strategy for deriving an incarnation	329
26.2 Strategy for deriving an incarnation	330

xvi CONTENTS

26.2.2 Allocating essential activities to processors 26.2.3 Establishing the infrastructure 26.2.4 Establishing the administration 26.2.5 Optimizing the incarnation 26.3 Summary	330 331 336 336 340
	340
Chapter 27: CREATING A SOFTWARE DESIGN BLUEPRINT FROM THE INCARNATION MODEL	341
27.1 Designing hierarchical software	341
27.2 Transforming the network model into a hierarchical model	342
27.3 Applying structured design	342
27.4 Summary	345
Part Eight: MANAGING ESSENTIAL SYSTEMS ANALYSIS	347
Chapter 28: TIME: THE CRITICAL DEVELOPMENT RESOURCE	349
28.1 Why time is critical	349
28.2 How project time is wasted	350
28.2.1 The current physical tarpit	351
28.3 Summary	354
Chapter 29: OPTIMIZING THE PROCESS OF DEFINING ESSENCE	355
29.1 How the essential modeling framework saves time	355
29.2 Deviating from the idealized derivation approach	356
29.3 The optimized procedure: blitzing an essential model 29.3.1 Establishing the system's purpose	357 358
29.3.2 Creating an essential context diagram	358
29.3.3 Creating lists of objects and events	359
29.3.4 Drafting the preliminary essential model	361
29.4 Mopping up	361
29.4.1 Blitzing a current physical model	363
29.4.2 Establishing an essential modeling plan 29.4.3 Building individual essential activity models	364 365
29.4.4 Integrating the essential activity models and performing the final pass	366
29.5 Summary	366
Chapter 30: EFFECTIVE PROJECT MANAGEMENT: A LEVELED APPROACH	367
30.1 Leveled system development	369
30.2 Problems with the unleveled approach	371
30.3 The benefits of the leveled approach	371
30.4 Plumbing the depths of a detailed activity	372
30.5 Project scouts 30.6 Intermediate levels of development	372 374
30.7 Summary	374
Chapter 31: PLANNING LONG PROJECTS: THE PROJECT AS MOVING TARGET	375
31.1 Destructive external factors	375
31.2 Sitting duck projects	376
31.3 Turning a sitting duck into a moving target	377
31.4 Model-based project planning	377
31.5 Summary	380
Afterword	381
Bibliography	383
Index	387